





|                                                                                   |                                                             |                                                                                     |                 |                 |
|-----------------------------------------------------------------------------------|-------------------------------------------------------------|-------------------------------------------------------------------------------------|-----------------|-----------------|
|  |                                                             | <b>TEST REPORT</b><br>Aquaplaning longitudinal, front wheel drive                   |                 |                 |
| TEST PLAN TEXT                                                                    |                                                             |                                                                                     |                 |                 |
| SET NO.                                                                           |                                                             | 2                                                                                   | 6               | 8               |
| Order No.                                                                         |                                                             | ID479563                                                                            | ID136486        | ID136488        |
| Tire Size                                                                         |                                                             | 205/55 R 16 94V                                                                     | 205/55 R 16 94H | 205/55 R 16 91V |
| Brand                                                                             |                                                             | Continental                                                                         | Brand X         | Brand Y         |
| Trade Name                                                                        |                                                             | AllSeasonContact 2                                                                  | Product XX      | Product YY      |
| TEST PARAMETERS                                                                   |                                                             |                                                                                     |                 |                 |
| Inflat. press. FA/RA [bar]                                                        |                                                             | 2,70/2,70                                                                           | 2,70/2,70       | 2,70/2,70       |
| Rim data                                                                          |                                                             | 6,5Jx16 ET33                                                                        | 6,5Jx16 ET33    | 6,5Jx16 ET33    |
| DOT                                                                               |                                                             | 4422                                                                                | 4222            | 4722            |
| TEST RESULTS                                                                      |                                                             |                                                                                     |                 |                 |
| corr. Front driven Long. Aquaplaning [km/h]                                       |                                                             | 79,1                                                                                | 68,2            | 69,6            |
| Rating                                                                            |                                                             | <b>100,0%</b>                                                                       | <b>86,2%</b>    | <b>87,9%</b>    |
| Trend 10th datapoint                                                              |                                                             | -1,3%                                                                               | (+1,8%)         | (-0,5%)         |
| Crit. Diff. / Trend Dev.                                                          | 0,8%                                                        | 0,1%                                                                                | 0,6%            | 0,4%            |
| Air/Track Temp                                                                    |                                                             | 22,9/26,2                                                                           | 25,0/29,6       | 24,9/28,6       |
| Remarks                                                                           | Eval Aquaplaning Speed (@15% Slip), Linear Trend Correction |                                                                                     |                 |                 |
| TEST CONDITIONS                                                                   |                                                             |  |                 |                 |
| Test date                                                                         | 14.08.2023                                                  |                                                                                     |                 |                 |
| Test location                                                                     | Contidrom                                                   |                                                                                     |                 |                 |
| Test track                                                                        | Rail Track Aquapl.                                          |                                                                                     |                 |                 |
| Test vehicle                                                                      | Skoda Octavia 1,5                                           |                                                                                     |                 |                 |
| Load FA/RA [kg]                                                                   | 909/638                                                     |                                                                                     |                 |                 |
| Water depth [mm]                                                                  | 9,00                                                        |                                                                                     |                 |                 |
| Air temp. [°C]                                                                    | 21,7...25,0                                                 |                                                                                     |                 |                 |
| Track temp. [°C]                                                                  | 25,2...30,1                                                 |                                                                                     |                 |                 |
| Humidity [%]                                                                      | 58,8...72,5                                                 |                                                                                     |                 |                 |
| Contact                                                                           | S. Heine                                                    |                                                                                     |                 |                 |
| Task number                                                                       | 2023z205                                                    |                                                                                     |                 |                 |
| Evaluation date                                                                   | 15.08.2023                                                  |                                                                                     |                 |                 |

|  |                   | TEST REPORT<br>Aquaplaning lateral                                                  |                 |                 |
|-----------------------------------------------------------------------------------|-------------------|-------------------------------------------------------------------------------------|-----------------|-----------------|
| TEST PLAN TEXT                                                                    |                   |                                                                                     |                 |                 |
| SET NO.                                                                           |                   | 2                                                                                   | 6               | 8               |
| Order No.                                                                         |                   | ID479563                                                                            | ID136486        | ID136488        |
| Tire Size                                                                         |                   | 205/55 R 16 94V                                                                     | 205/55 R 16 94H | 205/55 R 16 91V |
| Brand                                                                             |                   | Continental                                                                         | Brand X         | Brand Y         |
| Trade Name                                                                        |                   | AllSeasonContact 2                                                                  | Product XX      | Product YY      |
| TEST PARAMETERS                                                                   |                   |                                                                                     |                 |                 |
| Inflat. press. FA/RA [bar]                                                        |                   | 2,50/2,50                                                                           | 2,50/2,50       | 2,50/2,50       |
| Rim data                                                                          |                   | 6,5Jx16 ET33                                                                        | 6,5Jx16 ET33    | 6,5Jx16 ET33    |
| DOT                                                                               |                   | 4422                                                                                | 4222            | 4722            |
| TEST RESULTS                                                                      | limits [km/h]     | 60 - 90                                                                             | 60 - 90         | 60 - 90         |
| corr. Avg. Lat. Acc. [m/s <sup>2</sup> ]                                          |                   | 3,28                                                                                | 2,02            | 2,21            |
| Rating                                                                            |                   | <b>100,0%</b>                                                                       | <b>61,4%</b>    | <b>67,3%</b>    |
| Amax [m/s <sup>2</sup> ]                                                          |                   | 3,85                                                                                | 2,84            | 2,87            |
| Crit. Diff. / Trend Dev.                                                          | 6,4%              | 3,8%                                                                                | 7,1%            | 4,7%            |
| corr. VDA Integral                                                                |                   | 123,5                                                                               | 77,3            | 85,4            |
| Air/Track Temp                                                                    |                   | 16,5/17,1                                                                           | 15,7/17,1       | 15,5/18,0       |
| Remarks                                                                           |                   | Eval Avg. Lat. Acc., Avg. Dataset, Linear Trend Correction                          |                 |                 |
| TEST CONDITIONS                                                                   |                   |  |                 |                 |
| Test date                                                                         | 17.08.2023        |                                                                                     |                 |                 |
| Test location                                                                     | Contidrom         |                                                                                     |                 |                 |
| Test track                                                                        | Large Circle      |                                                                                     |                 |                 |
| Test vehicle                                                                      | VW Golf 8 1,5 TSI |                                                                                     |                 |                 |
| Load FA/RA [kg]                                                                   | 856/616           |                                                                                     |                 |                 |
| Water depth [mm]                                                                  | 5,00              |                                                                                     |                 |                 |
| Air temp. [°C]                                                                    | 15,5...16,5       |                                                                                     |                 |                 |
| Track temp. [°C]                                                                  | 16,6...18,2       |                                                                                     |                 |                 |
| Humidity [%]                                                                      | 96,0...96,0       |                                                                                     |                 |                 |
| Contact                                                                           | S. Heine          |                                                                                     |                 |                 |
| Task number                                                                       | 2023z205          |                                                                                     |                 |                 |
| Evaluation date                                                                   | 17.08.2023        |                                                                                     |                 |                 |

|                                                                                   |                   |                                                                                          |                 |                 |
|-----------------------------------------------------------------------------------|-------------------|------------------------------------------------------------------------------------------|-----------------|-----------------|
|  |                   | <b>TEST REPORT</b><br>braking with control systems on snow<br>average of Run 1 and Run 2 |                 |                 |
| TEST PLAN TEXT                                                                    |                   |                                                                                          |                 |                 |
| SET NO.                                                                           |                   | 2                                                                                        | 6               | 8               |
| Order No.                                                                         |                   | ID479563                                                                                 | ID136486        | ID136488        |
| Tire Size                                                                         |                   | 205/55 R 16 94V                                                                          | 205/55 R 16 94H | 205/55 R 16 91V |
| Brand                                                                             |                   | Continental                                                                              | Brand X         | Brand Y         |
| Trade Name                                                                        |                   | AllSeasonContact 2                                                                       | Product XX      | Product YY      |
| TEST PARAMETERS                                                                   |                   |                                                                                          |                 |                 |
| Inflat. press. FA/RA [bar]                                                        |                   | 2,50/2,50                                                                                | 2,50/2,50       | 2,50/2,50       |
| Rim data                                                                          |                   | 6,5Jx16 ET46                                                                             | 6,5Jx16 ET46    | 6,5Jx16 ET46    |
| DOT                                                                               |                   | 4422                                                                                     | 4422            | 4722            |
| TEST RESULTS                                                                      |                   |                                                                                          |                 |                 |
| corr. Braking Distance [m]                                                        |                   | 16,6                                                                                     | 17,3            | 17,0            |
| Rating                                                                            |                   | <b>100,0%</b>                                                                            | <b>95,4%</b>    | <b>97,6%</b>    |
| corr. Avg Deceleration (μ*)                                                       |                   | 0,381                                                                                    | 0,363           | 0,371           |
| Remarks                                                                           |                   | Eval Braking Distance (40-0km/h), Dataset 2, Linear Trend Correction                     |                 |                 |
| TEST CONDITIONS                                                                   |                   |       |                 |                 |
| Test date                                                                         | 06.02.2023        |                                                                                          |                 |                 |
| Test location                                                                     | Arvidsjaur        |                                                                                          |                 |                 |
| Test track                                                                        | TCA2, Snow Flat Q |                                                                                          |                 |                 |
| Test vehicle                                                                      | VW Golf 8 1,5 TSI |                                                                                          |                 |                 |
| Load FA/RA [kg]                                                                   | 856/616           |                                                                                          |                 |                 |
| Snow hardness                                                                     | 82...84           |                                                                                          |                 |                 |
| Air temp. [°C]                                                                    | -6,3...0,0        |                                                                                          |                 |                 |
| Track temp. [°C]                                                                  | -8,7...-4,2       |                                                                                          |                 |                 |
| Humidity [%]                                                                      | 68,3...81,7       |                                                                                          |                 |                 |
| Contact                                                                           | S. Heine          |                                                                                          |                 |                 |
| Task number                                                                       | 2023z205          |                                                                                          |                 |                 |
| Evaluation date                                                                   | 24.01.2024        |                                                                                          |                 |                 |

|                                                                                   |                   |                                                                                     |                 |                 |
|-----------------------------------------------------------------------------------|-------------------|-------------------------------------------------------------------------------------|-----------------|-----------------|
|  |                   | <b>TEST REPORT</b><br>Stopping distance with ABS, wet, mid $\mu$ asphalt            |                 |                 |
| TEST PLAN TEXT                                                                    |                   |                                                                                     |                 |                 |
| SET NO.                                                                           |                   | 2                                                                                   | 6               | 8               |
| Order No.                                                                         |                   | ID479563                                                                            | ID136486        | ID136488        |
| Tire Size                                                                         |                   | 205/55 R 16 94V                                                                     | 205/55 R 16 94H | 205/55 R 16 91V |
| Brand                                                                             |                   | Continental                                                                         | Brand X         | Brand Y         |
| Trade Name                                                                        |                   | AllSeasonContact 2                                                                  | Product XX      | Product YY      |
| TEST PARAMETERS                                                                   |                   |                                                                                     |                 |                 |
| Inflat. press. FA/RA [bar]                                                        |                   | 2,70/2,70                                                                           | 2,70/2,70       | 2,70/2,70       |
| Rim data                                                                          |                   | 6,5Jx16 ET33                                                                        | 6,5Jx16 ET33    | 6,5Jx16 ET33    |
| DOT                                                                               |                   | 4422                                                                                | 4222            | 4722            |
| TEST RESULTS                                                                      |                   |                                                                                     |                 |                 |
| corr. Braking Distance [m]                                                        |                   | 35,4                                                                                | 47,0            | 47,8            |
| Rating                                                                            |                   | <b>100,0%</b>                                                                       | <b>67,0%</b>    | <b>65,0%</b>    |
| Trend 10th datapoint                                                              |                   | (+0,5%)                                                                             | (-0,8%)         | (+0,3%)         |
| Crit. Diff. / Trend Dev.                                                          | 1,6%              | 0,5%                                                                                | 0,3%            | 1,1%            |
| corr. Avg Deceleration ( $\mu^*$ )                                                |                   | 0,712                                                                               | 0,535           | 0,527           |
| Air/Track Temp                                                                    |                   | 16,4/13,9                                                                           | 16,0/13,6       | 16,3/13,9       |
| Remarks                                                                           |                   | Eval Braking Distance (80-0km/h), Dataset 2, Linear Trend Correction                |                 |                 |
| TEST CONDITIONS                                                                   |                   |  |                 |                 |
| Test date                                                                         | 16.08.2023        |                                                                                     |                 |                 |
| Test location                                                                     | Contidrom         |                                                                                     |                 |                 |
| Test track                                                                        | Rail Track A2a    |                                                                                     |                 |                 |
| Test vehicle                                                                      | Skoda Octavia 1,5 |                                                                                     |                 |                 |
| Load FA/RA [kg]                                                                   | 909/638           |                                                                                     |                 |                 |
| Water depth [mm]                                                                  | 0,79              |                                                                                     |                 |                 |
| Air temp. [°C]                                                                    | 15,6...18,6       |                                                                                     |                 |                 |
| Track temp. [°C]                                                                  | 13,5...17,3       |                                                                                     |                 |                 |
| Humidity [%]                                                                      | 91,2...95,0       |                                                                                     |                 |                 |
| Contact                                                                           | S. Heine          |                                                                                     |                 |                 |
| Task number                                                                       | 2023z205          |                                                                                     |                 |                 |
| Evaluation date                                                                   | 24.01.2024        |                                                                                     |                 |                 |

|                             |                                                                       |                                                                                                                                                                                                                                                                                                                                                                           |                 |                 |
|-----------------------------|-----------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-----------------|
| <div>Continental</div>      |                                                                       | TEST REPORT                                                                                                                                                                                                                                                                                                                                                               |                 |                 |
|                             |                                                                       | Stopping distance with ABS, Asphalt dry, used tires                                                                                                                                                                                                                                                                                                                       |                 |                 |
| TEST PLAN TEXT              |                                                                       |                                                                                                                                                                                                                                                                                                                                                                           |                 |                 |
| SET NO.                     |                                                                       | 2                                                                                                                                                                                                                                                                                                                                                                         | 6               | 8               |
| Order No.                   |                                                                       | ID479563                                                                                                                                                                                                                                                                                                                                                                  | ID136486        | ID136488        |
| Tire Size                   |                                                                       | 205/55 R 16 94V                                                                                                                                                                                                                                                                                                                                                           | 205/55 R 16 94H | 205/55 R 16 91V |
| Brand                       |                                                                       | Continental                                                                                                                                                                                                                                                                                                                                                               | Brand X         | Brand Y         |
| Trade Name                  |                                                                       | AllSeasonContact 2                                                                                                                                                                                                                                                                                                                                                        | Procutt XX      | Product YY      |
| TEST PARAMETERS             |                                                                       |                                                                                                                                                                                                                                                                                                                                                                           |                 |                 |
| Inflat. press. FA/RA [bar]  |                                                                       | 2,50/2,50                                                                                                                                                                                                                                                                                                                                                                 | 2,50/2,50       | 2,50/2,50       |
| Rim data                    |                                                                       | 6,5Jx16 ET33                                                                                                                                                                                                                                                                                                                                                              | 6,5Jx16 ET33    | 6,5Jx16 ET33    |
| DOT                         |                                                                       | 4422                                                                                                                                                                                                                                                                                                                                                                      | 4222            | 4722            |
| TEST RESULTS                |                                                                       |                                                                                                                                                                                                                                                                                                                                                                           |                 |                 |
| corr. Braking Distance [m]  |                                                                       | 41,4                                                                                                                                                                                                                                                                                                                                                                      | 44,6            | 44,7            |
| Rating                      |                                                                       | 100,0%                                                                                                                                                                                                                                                                                                                                                                    | 92,4%           | 92,2%           |
| Trend 10th datapoint        |                                                                       | +3,0%                                                                                                                                                                                                                                                                                                                                                                     | -2,6%           | -4,0%           |
| Crit. Diff. / Trend Dev.    | 1,2%                                                                  | 0,4%                                                                                                                                                                                                                                                                                                                                                                      | 0,5%            | 0,4%            |
| corr. Avg Deceleration (μ*) |                                                                       | 0,949                                                                                                                                                                                                                                                                                                                                                                     | 0,882           | 0,880           |
| Air/Track Temp              |                                                                       | 19,8/23,4                                                                                                                                                                                                                                                                                                                                                                 | 24,6/33,1       | 24,3/35,6       |
| Remarks                     | Eval Braking Distance (100-0km/h), Dataset 2, Linear Trend Correction |                                                                                                                                                                                                                                                                                                                                                                           |                 |                 |
| TEST CONDITIONS             |                                                                       | <div><div>Braking distance [m]<br/>(100 to 0 km/h)</div><div><div><div>8</div><div>6</div><div>2</div></div><div><div>44,7</div><div>44,6</div><div>41,4</div></div><div><div>92,2%</div><div>92,4%</div><div>100,0%</div></div><div><div>70%</div><div>75%</div><div>80%</div><div>85%</div><div>90%</div><div>95%</div><div>100%</div><div>105%</div></div></div></div> |                 |                 |
| Test date                   | 22.08.2023                                                            |                                                                                                                                                                                                                                                                                                                                                                           |                 |                 |
| Test location               | Contidrom                                                             |                                                                                                                                                                                                                                                                                                                                                                           |                 |                 |
| Test track                  | Oval, dry Asphalt I                                                   |                                                                                                                                                                                                                                                                                                                                                                           |                 |                 |
| Test vehicle                | VW Golf 8 1,5 TSI                                                     |                                                                                                                                                                                                                                                                                                                                                                           |                 |                 |
| Load FA/RA [kg]             | 856/616                                                               |                                                                                                                                                                                                                                                                                                                                                                           |                 |                 |
| Air temp. [°C]              | 18,9...24,8                                                           |                                                                                                                                                                                                                                                                                                                                                                           |                 |                 |
| Track temp. [°C]            | 22,0...36,7                                                           |                                                                                                                                                                                                                                                                                                                                                                           |                 |                 |
| Humidity [%]                | 54,0...78,0                                                           |                                                                                                                                                                                                                                                                                                                                                                           |                 |                 |
| Contact                     | S. Heine                                                              |                                                                                                                                                                                                                                                                                                                                                                           |                 |                 |
| Task number                 | 2023z205                                                              |                                                                                                                                                                                                                                                                                                                                                                           |                 |                 |
| Evaluation date             | 24.01.2024                                                            |                                                                                                                                                                                                                                                                                                                                                                           |                 |                 |